

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2001-263228

(43)Date of publication of application : 26.09.2001

(51)Int.Cl.

F04B 27/08

F04B 39/00

(21)Application number : 2000-342178

(71)Applicant : TOYOTA AUTOM LOOM
WORKS LTD

(22)Date of filing : 09.11.2000

(72)Inventor : KIMURA KAZUYA
OTA MASAKI
KAYUKAWA HIROAKI
UMEMURA SATOSHI
MIZUFUJI TAKESHI

(30)Priority


Priority number : 2000002971 Priority date : 11.01.2000 Priority country : JP

(54) PISTON TYPE COMPRESSOR AND ASSEMBLING METHOD THEREFOR

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a piston type compressor capable of eliminating a driving shaft energizing spring.


SOLUTION: In a state of regulating a slide movement of a driving shaft 16 in abutment by a first movement regulating part 11a, clearance X1 formed between an abutting part 16a of the driving shaft 16 and a second movement regulating part 51a of a movement regulating member 51 is constituted so as to become narrower than clearance X2 formed between a piston 35 existing in an upper dead center position and a valve-port forming body 14 opposed to it and clearance X3 formed between a rotor 24 of an electromagnetic clutch 23 existing in an OFF state and an armature 28.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision]

Drawing selection drawing 1

[Translation done.]

of rejection]

[Kind of final disposal of application
other than the examiner's decision of
rejection or application converted
registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's
decision of rejection]

[Date of requesting appeal against
examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office